

How to configure your spam setting from the Webmail


- Open your web browser and navigate to <http://webmail.eaglecom.net>



- Fill in your email address in the first two fields.
- Fill in your password
- Leave Interface set to “Basic (Any browser)”
- Click Login



- You will now be logged into your Inbox of the Webmail




- Click on Settings at the top. You will now at the Mail Settings in your webmail.
- Click Spam Settings on the left

The screenshot shows a web browser window titled "Eagle Communications Webmail - billybob@eaglecom.net - {Mail Settings} - Windows Internet Explorer". The address bar shows the URL "http://webmail.eaglecom.net/util.php?func=settings". The page content includes a navigation menu with links for "Read Mail", "Compose", "Search Email", "Calendar", "Addresses", "Folders", "Settings", "Help", and "Logoff". A sidebar on the left contains icons for "Save Settings", "Interface Style", "Spam Settings", and "User Profile". The main content area is titled "WebMail Preferences" and contains the following settings:

Setting	Value
Account Your email account login name	billybob@eaglecom.net
Displayed Name Enter the Name that will appear on outgoing emails	Test Account
Reply To Specify a Reply-To address if different from your login name	billybob@eaglecom.net
Sort Email By Emails displayed in the Email window can be sorted by:	Date
Default Font Style Select your preferred font for the interface	Times New Roman
Service Language Choose your language:	English
Number of messages to Display Select the number of email messages to display per screen	25
Select Time Zone Specify your time zone in GMT format. All message dates will be	-0600; America/Costa_Rica

The status bar at the bottom of the browser shows "Done", "Internet", and "100%".

- This page will allow you to change all the setting pertaining to Spam.



Spam Settings

Spam Detection Level

Specify the level to mark a message as Spam, a value of 10 will mark only the most obvious messages as spam, where a value of 1 will use a more aggressive filter to determine if a message is of Spam origin.

3 - High 

Spam Treatment

Select the method to treat spam messages

Move to Spam folder 

Spam Tag

Optionally specify a tag to append to a message subject if marked as Spam

{SPAM}

Bayesian Filtering : Auto-Learn

Automatically learn between Spam and valid messages and train the message filters using Bayesian techniques.

Accept Whitelist Mail Only

Optionally deny all email-messages unless the recipient address is contained in the [trusted-senders](#). Use this to receive messages from only "trusted" users. Any other messages will be automatically rejected from the system.

Trusted Senders

Specify a list of trusted email-addresses you wish to receive email from. Any email-address specified here will bypass the spam-filter of Eagle Communications Webmail

Email Address:

Add

Expression

Delete

Blacklist Senders

Specify a list of black-listed email-addresses you wish deny receiving email from. Any email-address specified here will force a message to be marked as spam.

Email Address:

Add

Delete

Expression

Allow Recipients

Specify a list of trusted recipient email-addresses. If a message contains the recipient address in the To/Cc/Bcc header the message will be automatically trusted.

Email Address:

Add

Delete

Expression